120

**Quality Control** 

QC6- Inspect dimensions to drawing

Memo

DQA:			Date:			- MODE ODED NON CONFORMANCE / UDDATE									
QA Closed:			Date:			WORK ORDER NON-CONFORMANCE / UPDATE  Work Order update only									
						DISPOSITION			AGAINST	רחב	PARTMENT	/DPOCESS	L		
Work Orde	er:					DISPOSITION			AGAINS!	. DC	PARTIVICIVI)	/PROCE33			
						Rework			Skid-tube Crosstube	<u>-</u>		Water Jet	Engineering		
Part N	lo.					Scrap		l.	Machining Small Fat	$\vdash$	4	d. Eng. Coor.	Quality		
		·				Use-as-is		Thern	noforming Finishing	`—	Rec/Sto	re/Packaging	Other		
NCR I	۱o. ِ					Suspected Unapproved			Large Fab Composite		]	Supplier			
Root					Desci	ription of work order update	- 1	nitial	Action		Sign &				
Cause		Date	Step	Qty		or non-conformance	Ch	ief Eng	Description		Date	Verification	QC Inspector		
Design															
Doc/Data															
Equip/Tooling															
Handling/Pre									·						
Material															
Operator							ĺ								
Offset/Setup															
Process							Ì								
Supplier															
Training _	_												·		
Transport					_										
Unapproved			<u> </u>	L.,	<u> </u>	****	FΔI	ΠΤ CΔ	TEGORY			L			
Landi	nø (	iear				General									
Lariai		Bending				Bend		Folio/P	Program		Outside Dim	ensions	Pressure/Forced		
		Centre No	ot Concer	itric		BOM/Route		Grain	· ·		Over/Under	tolerance	Set-up		
		Cracks				Broken/Damage/Defect		Hardwa	are		Part Incorre	ci 🗍	Temperature/Cure		
		Crimp/Kir	nk/Ripple,	/Wave		Burrs		Inspect	ion Incomplete/Unqualified		Part Lost/Mi	issing	Weld		
		Cuffs				Contamination		Instruct	tions Incomplete/Unclear		Part Moved		Wrong Stock Pulled		
	Crushing			Countersink		Misalig	gned/off center		Positioned V	Vrong	<b>–</b>				
	Heat Treat			Cut Too Short		Mislabe	eled		Power Loss/	Surge	Other				
	Inspection Strip in Tube				Drawing		Misread	d							
		Marks/Ch	natter			Drill Holes		Off-set							
		Turning S	equence			Finish		Out of	Calibration						
	Wave/Twist in Tube					Fit/Function		Out of Sequence							

## \*121686\*


Page 2 Thursday, June 26, 2014 3:06:55 PM Item ID: D3619-2 Accept \*N900040100\* Setup Start **Revision ID:** Stop Item Name: Grommet \*10\* **Start Date:** 6/26/14 **Start Qty: 10.00 Cust Item ID:** Required Date: 6/26/14 Req'd Oty: 10.00 \*10\* **Customer:** Reference: Start Run Process Plan: \_\_\_\_\_ Date: Tooling: Approvals: Date: Stop Date:\_\_\_\_\_ SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Reject Accept Reject Insp. Work Center ID . Qty Number Stamp **Description Run Hours** Code **Qty** 130 0.00 DAS Packaging JUL 0 3 2014 \*130\* 28 Packaging 1 2 2 0.00 Memo 9-89 \*\*\*\*Remove supplier paperwork from box.\*\*\*\*\* Identify and Packaging StockLocation: 140 QC21- Final Inspection - Work Order Release 0.00 \*140\* QC 0.00 Memo Quality Control


DQA:			Date:	·			"DART								
OA Classic Retor						WORK ORDER NON-	AEROSPACE								
QA Closed:			Date:				_			VV	ork Order up	date only			
Work Order:			DISPOSITION				AGAINST DE	PARTMENT	/PROCESS						
WOIR OIG	-1.		<del></del>			Rework			Skid-tube	Crosstube	7	Water Jet	Engineering		
Part N	Jo.					Scrap			Machining	Small Fab	Pro	d. Eng. Coor.	Quality		
	•					Use-as-is			noforming	Finishing	-	e/Packaging	Other		
NCR N	١o.					Suspected Unapproved			Large Fab	Composite		Supplier			
											·				
Root					Desc	ription of work order update		nitial	Act		Sign &				
Cause		Date	Step	Qty		or non-conformance	Ch	ief Eng	Descr	iption	Date	Verification	QC Inspector		
Design															
Doc/Data															
Equip/Tooling															
Handling/Pre															
Material															
Operator						•	1								
Offset/Setup			ļ												
Process							1								
Supplier															
Training															
Transport															
Unapproved					<u> </u>						<u> </u>				
							FA	ULT CA	TEGORY						
Landi	ng (	Gear			_	General	_	1		<del></del>	7	_	<b>-1</b>		
		Bending				Bend		4	Program	_	Outside Dim	<b>├</b> ─	Pressure/Forced		
		Centre No	ot Concer	ntric		BOM/Route		Grain			Over/Under	<del> </del>	Set-up		
		Cracks				Broken/Damage/Defect		Hardwa		<u> </u>	Part Incorre	<u></u>	Temperature/Cure		
		Crimp/Ki	nk/Ripple	/Wave		Burrs		Inspect	ion Incomplete/Ur	nqualified	Part Lost/Mi	issing	Weld		
		Cuffs				Contamination		4	tions Incomplete/U	Jnclear	Part Moved		Wrong Stock Pulled		
		Crushing				Countersink		Misali	gned/off center		Positioned V		<del>-</del> -		
		Heat Trea	at			Cut Too Short		Mislabe	eled		Power Loss/	Surge	Other		
	Inspection Strip in Tube				Drawing		Misrea	d							
		Marks/Cl	natter			Drill Holes		Off-set							
		Turning S	equence			Finish		Out of	Calibration						
	Wave/Twist in Tube					Fit/Function		Out of Sequence							



						<del>-</del>
-	DESIG	N/	DRAWN BY	-	AEROSPACE LTD BURY, ONTARIO, CANADA_	
_	CHECK		APPROYED	DRAWING NO.		REV. A
		PH	一极	D3619	SHEE	T 1 OF 1
	DATE			TITLE		SCALE
		07.0	3.26	GROMMET		NTS
	REV		DATE		DESCRIPTION	
	Α		07.03.26	NEW ISSUE		

# SPECIFICATION CONTROL DRAWING





CL14/06/30 W10: 121686

### D3619-X GROMMET, WHERE X REPRESENTS THE GROMMET TRADE SIZE

DART P/N	TRADE SIZE	DESCRIPTION	HOLE SIZE	MAX. MTL THICKNESS	MCMASTER CARR P/N
D3619-0	0	BRASS GROMMET W/ TEETH	1/4	0.110	9610K16
D3619-1	1	BRASS GROMMET W/ TEETH	9/32	0.120	9610K17
D3619-2	2	BRASS GROMMET W/ TEETH	3/8	0.150	9610K18
D3619-3	3	BRASS GROMMET W/ TEETH	7/16	0.230	9610K19
D3619-4	4	BRASS GROMMET W/ TEETH	1/2	0.300	9610K21

NOTES:
1) PURCHASE INFO: MCMASTER-CARR P/N'S INCLUDE THE FOLLOWING:

48 GROMMETS FOR SIZE 0 & 1, 24 GROMMETS FOR SIZE 2, 3 & 4, D3619-XT1 HOLE PUNCH

D3619-XT2 STRIKER BLOCK. D3619-XT3 PUNCH AND

D3619-XT4 DIE

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

### **COPYRIGHT © 2007 BY DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA:			Date:				_		200000000000000000000000000000000000000	DD 4.T.C				TDART	
QA Closed:			Date:			WORK ORDER NON-CONFORMANCE / UPDATE  Work Order update only									
						DISPOSITION AGAINST DEPARTMENT/PROCESS						PROCESS			
Work Orde	er: .					_ ,	,			[			\4/=4=#_I=4		
5						Rework			Skid-tube	Crosstube	_	Dwa	Water Jet	Engineering	
Part N	NO					Scrap			Machining	Small Fab Finishing			d. Eng. Coor. e/Packaging	Quality Other	
NCR I	vi o					Use-as-is Suspected Unapproved		mem	noforming Large Fab	Composite		Nec/3tol	Supplier		
NCN	٧O		-			Suspected Onapproved	!		Large Tab	Composite			2abbuci [_		
Root					Desc	ription of work order update	Ī	nitial	Act	tion		Sign &			
Cause		Date	Step	Qty		or non-conformance	Ch	ief Eng	Descr	ription		Date	Verification	QC Inspector	
Design															
Doc/Data											1				
Equip/Tooling															
Handling/Pre															
Material															
Operator			}												
Offset/Setup															
Process	Ш						1								
Supplier	Щ						ŀ								
Training	Ш														
Transport	Ш				-										
Unapproved			<u> </u>		<u> </u>		<u> </u>								
				·. ·			FA	ULT CA	regory			<u>.</u>			
Landi	$\overline{}$	1			_	General	_	1 /-	<b></b>	í	$\Box$	utside Dim	i	Pressure/Forced	
	$\vdash$	Bending			ļ	Bend	$\vdash$	1	Program	l	—	ver/Under	<del>-</del>	Set-up	
	$\vdash$	Centre N	ot Concer	ntric	<u> </u>	BOM/Route	-	Grain			$\vdash$	art Incorred	<u> </u>	Temperature/Cure	
	<u> </u>	Cracks	I. /D: I	. /\41==	-	Broken/Damage/Defect	-	Hardwa	ire ion Incomplete/Ui	ngualified	-	art Incorrec art Lost/Mi		Weld	
	H	Crimp/Ki	пк/кірріе	e/wave		Burrs	$\vdash$	4	tions Incomplete/U		-	art Cost/Wii art Moved	-	Wrong Stock Pulled	
	<u> </u>	Cuffs				Contamination Countersink	$\vdash$	4	gned/off center	Officieal		ositioned V	L. Vrong		
	$\vdash$	Crushing Heat Trea			<u> </u>	Cut Too Short	-	Mislabe	=	:	$\vdash$	ower Loss/		Other	
	⊢	Inspectio		Tube	$\vdash$	Drawing		Misrea		•	'لـــا	U11C1 E033/		13	
	-	Marks/Cl		iube	-	Drill Holes		Off-set			_				
		Turning S			-	Finish	-	-4	Calibration		_				
		1				Fit/Function	-	-1	Sequence		_				
I	Wave/Twist in Tube					1									



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO24811

Purchase Order Date 6/30/2014 PO Print Date 6/30/2014

Page Number 2 of 4

Order From:

MCMASTER-CARR SUPPLY CO,

P.O. BOX 7690

CHICAGO, IL 60680-7690

VU-MCM001

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

**Contact Name** 

**Vendor Phone** 

330 995 5500

**Ship To Contact** 

**Ship To Phone** 

Ship Via: Ship Aect:

FedEx PI collect

9610K18

GROMMET

7/2/2014

Yes

7/2/2014

Buyer

**Terms** 

**FOB** 

Currency

Chantal Lavoie

**Customer POID** Customer Tax #

10127-2607

Net 10

USD

FCA - (Free Carrier)

\$13.31

\$133.10

AS PER DWG D3619 REV.A

B121686

8672K31

UHMW U-Channel

7/2/2014

Yes 7/2/2014

40.00

10.00

Each

f

\$3.26

\$130.40

\$133.10

AS PER DWG D4287 REV. A

B121391

Line Total:

Line Total:

\$130.40

71400-40

9381T24 S HOOK

7/2/2014 Yes

7/2/2014

50.00 Each

\$4.06

\$203.00

50 BOX OF 25 PCS

Line Total:

\$203.00

Deliver To: FINISHING

Note:

Purchase Order PO24811

Page 1 of 2

200 Aurora Industrial Pkwy
- Aurora OH 44202 6087
330-995-5500
cle.sales@mcmaster.com

Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada McMaster-Carr Number 5763028-03

Line		Description	Ordered Shipped	1	LNS A83
1 6	6605K56	Hook and Loop Cable Tie, Black Flame-Retardant Wrap Around, 24" L, 3/4" Width, Packs of 5 Your Part Number: <b>B121427</b>	Packs	6.	3 125 - 11 43 - 39 K56 6PK 1
2 9	9776K93	Flame-Retardant Hook and Loop, 1" W X 75' L, Adhesive Back, Beige, Lengths of 75 Your Part Number: <b>B121596</b>	Lengths	3	1 - 459 2
8 9	9610K18	Military Specification Grommet Kit, with Teeth Washer, Trade Size 2, 3/8" ID, 24 Grommets Your Part Number: <b>B121686</b>	10 10 Each	0	1)- 315
5 9	9381T <b>24</b>	Zinc-Plated Steel Open End S-Hook, 1/8" Diameter, 28# Work Load Limit, Packs of 25 Your Part Number: <b>71400-40</b>	, 50 50 Packs	0	3 - 293 5
6 2	2733A44	Cobalt Steel Wire Gauge Size Chucking Reamer, 30 Wire Gauge, 7/8" Flute Length, .1190" Shank Diameter Your Part Number: <b>71500-39</b>	3 S Each	3	2 - 500 6

Dart Aerospace Ltd

EXP INV NAFT



30 lbs 7 lines

FW1BSP20 06/30/2014 13:41/13:47 227 Cycle 48



**Lg** 38x12x12